

Figure 1

AT9-98-916

706250" 606E9B60





Figure 2


AT9-98-916



(300)
Suspension and Ride

Figure 3


109863909-052301-606E9860



(400)
Comfort

Figure 4

0963909 05301
T0E250" 606E9860




(500)
Communications/Interface

Figure 5


AT9-98-916

109863909 "052301
T.0E250" 606E9860



(600)
Navigation and Tracking

Figure 6



(700)
Audio

Figure 7






Figure 8



(900)
Engine Performance

Figure 9



(28)
User Interface

Figure 10

```
graph LR; Mem[Memory 22] --- OC[Onboard Computer 20]; UI[User Interface 28] --- OC; OC --- SMC[Systems Monitoring 290]; subgraph 700 [700]; OC --- AOC[Audio Output Control 775]; OC --- AEP[Audio Event Programming 780]; OC --- AES[Audio Event Scheduling 785]; OC --- AER[Audio Event Retention 790]; OC --- AEM[Audio Event Memory 795]; OC --- CTC[CD/Tape Carousel 760]; OC --- AFM[AM/FM Station Frequencies 770]; end;
```

Figure 11

10E250"606E9B60




Figure 12

AT9-98-916

105250" 60669860




Figure 13A

AT9-98-916




Figure 13B

10E250" 606E9860

User Record
User ID
Verification
Security Level
Preferences
Preference Limits
User Logged Data

1400

Figure 14

AT9-98-916

0983909-052301
T0E250"606E9860

User ID
Name
Number

1500

Figure 15

AT9-98-916

Verification
Password
Algorithmic Password
SmartCard
Finger Print
Eye Print
Voice Print
By Proxy via Master User or Administrator

1600

Figure 16

AT9-98-916

09863909 "052301
T0E250" 6069860

Security Level
Normal User
Master
Administrator
Service Center
Parking Attendant
Semi-User
Thief
Drunk Driver

1700

Figure 17

AT9-98-916

09863909-052304
T0E250" 606E9860

Preferences
Seat Adjustments
Temperature Adjustments
Radio/Entertainment System Adjustments
Telephone Number Setting
Ride
Acceleration
Warning Message Preference
Airbag Settings

1800

Figure 18

AT9-98-916

Preference Limits
Maximum Engine RPMs
Maximum Forward Acceleration
Maximum Speed
Maximum Ride Stiffness
Maximum Distance from Home Port
Maximum Distance from Stored Routes
Maximum Distance from Stored Destination
Cash Account Balance for Fuel
Cash Limit for Fuel per Unit of Time
Cash Account Balance for Maintenance
Night Driving Limits
Hours of Operation Limits
Sobriety Test Requirement
Theft Response
Seatbelt Restrictions
Airbag Settings
Cash Account Balance for Services
Maximum Audio Sound Level
Antilock Brake Settings
Traction Control Settings

TOP SECRET 052301

User Logged Data
Hours of Engine Time
Hours Logged In
Miles Traveled
Cash Consumed
Average MPG
Maximum Speed
Average Speed
Maximum Acceleration
Maximum Engine RPM
Antilock Brake Engagement
Traction Control Engagement
Airbag Deployment
Maximum Distance from Home
Maximum Distance from Route
Maximum Distance from Destination
GPS Trip Tracking
Services Used

2000

Figure 20

AT9-98-916

106250"606E9B60




Figure 21

AT9-98-916

Broadcast Event ID 2202			Record Preferences 2204			Playback Scheduling Preferences 2206			Retention 2208			PlayBack Format 2210		
Topic 2213	Title 2215	Frequency 2217	Day 2219	Time 2221	Playback Topic Priority 2223	Playback Title Priority 2225	Topic Retention Priority 2227	Title Retention Priority 2229	No. of Copies Retained 2231	Meomory Stacking 2233	Playback Topic Format 2235	Playback Title Format 2237		
News	-	590AM	M-F	:05-:10	Imp	-	10Hr	-	1	Mono	DisContinuous/ Pickup	-		
Traffic Report	-	880AM	M-F	:10-:15	Imp	-	10Hr	-	1	Mono	Continuous	-		
Weather	-	SCAN 880AM 90.5FM	S-S	-	Inf	-	24Hr	-	1	Mono	DisContinuous/ Pickup	-		
Weekly Talk	Wash Week Review	SCAN 90.5FM	Su	-	Inf	50	50Hr	Store Until Playback	3	Mono Com:20	DisContinuous/ Pickup	DisContinuous/ Pickup		
Weekly Talk	Car Talk	90.5FM	Sa	5PM- 6PM	Inf	20	50Hr	Store Until Playback	3	Mono Com:10	DisContinuous/ Pickup	DisContinuous/ Replay		
Entertainment	Music Programming	KMFM	S-S	-	Ent	5	-	No Store	-	Stereo	-	Background		
One Time	Clinton	590AM	Mon	8P- 10P	O-D	5	50Hr	Permanent	1	Mono Com:10	DisContinuous/ Pickup	Continuous		

2200

Figure 22
AT9-98-916